

AUTHOR INDEX

1984, Volume 18

A

- ABED J *see* TAGGART P *et al*
 ABENDSCHEIN D R, MORELLI R L, CARLSON C J, LEMILSON B, and RAPAPORT E Creatine kinase MM isoenzyme subforms in myocardium, cardiac lymph and blood after coronary artery occlusion in dogs, 690
 ABILDGAARD U *see* AMTORP O *et al*
 ADACHI H, SUGIHARA H, NAKAGAWA H, OCHIAI M, NAKAGAWA M, and IJICHI H Effect of prostaglandin E₁ on fractional distribution of cardiac output and organ blood flow in man: a simultaneous and non-invasive determination using double dose thallium-201 scintigraphy, 657
 ALANEN K A *see* LIPASTI J A *et al*
 ALEGRE S *see* COSIN J *et al*
 ALEXANDER G M *see* DOLE W P *et al*
 ALLEN J D *see* KOO C C *et al*
 ALTONA J C, VAN DER LAARSE A and BLOYS VAN TRESLONG C H F Release of compartment-specific enzymes from neonatal rat heart cell cultures during anoxia and reoxygenation, 99
 — *see also* VAN DER LAARSE A *et al*
 AMBROSIO G *see* CHIARIELLO M *et al*
 AMTORP O, ELIASEN P, ABILDGAARD U, and HAUNSØ S Distribution of myocardial blood flow and capillary diffusion capacity across the canine heart wall, 277
 ANAND-SRIVASTAVA M B *see* PANAGIA V *et al*
 ARSENAULT A *see* BILLETTE J *et al*
 ARTS T, MEERBAUM S, RENEMAN R S, and CORDAY E Torsion of the left ventricle during the ejection phase in the intact dog, 183
 ASH P *see* HESS M L *et al*

B

- BACHE R J *see* DYMEK D J and BACHE R J GOLD F L *et al*
 BACHER S, KRAUPP O, BECK A, SEITELBERGER R, and RABERGER G Blood pressure response and renin release following 4 days of treatment with dihydralazine and urapidil in conscious dogs, 67
 BADA V *see* GVOZDIÁKOVÁ A *et al*
 BAKER J *see* WU D-K *et al*
 BAKER J E, KEMMENOE B H, HEARSE D J, and BULLOCK G R Calcium delivery and time: factors affecting the progression of cellular damage during the calcium paradox in the rat heart, 361
 BAKKEN A M *see* STANGELAND L *et al*
 BARCLAY S A *see* BENNETT E D *et al*
 BARTHEL B G *see* PENNEY D G *et al*
 BECK A *see* BACHER S *et al*
 BECKMANN R *see* SMITH E F *et al*
 BELLA P DELLA *see* DELLA BELLA P
 BELLE H VAN *see* VAN BELLE H
 BENDITT D G *see* DUNNIGAN A *et al*
 BENNETT E D, BARCLAY S A, DAVIS A L, MANNERING D, and MEHTA N Ascending aortic blood velocity and acceleration using Doppler ultrasound in the assessment of left ventricular function, 632
 BENSON D WOODROW *see* WOODROW BENSON D
 BERGLIN E *see* SVENSSON S *et al*
 BHARADWAJ B *see* O'NEIL C L *et al*
 BILLETTE J, BONIN J-P, ARSENAULT A, and GAUTHIER P Effects of sino-atrial ischaemia on the heart rate response to phasic burst stimulation of the right cervical vagus in the dog, 486
 BISHOP V S *see* DOLE W P *et al*
 BISSETT J K *see* WU D-K *et al*

- BLOYS VAN TRESLONG C H F *see* ALTONA J C *et al*
 BOND M G *see* FARRAR D J *et al*
 BONIN J-P *see* BILLETTE J *et al*
 BÓOK K *see* SYLVÉN C *et al*
 BOOTH A M *see* ESTRIN J A *et al*
 BORGDOFF P *see* BURATTINI R and BORGDOFF P
 BORBERS M *see* FLAMENG W *et al*
 BOS G C VAN DEN *see* VAN DEN BOS G C
 BOŽEK P *see* GVOZDIÁKOVÁ A *et al*
 BRASCH S P, FINKELSTEIN J N, MAKHANI G, and GHOSH S Arterial influx, efflux and tissue content of albumin in rabbits *in vivo*, 244
 BRETO M *see* COSIN J *et al*
 BREVETTI G *see* CHIARIELLO M *et al*
 BRISCOE M G *see* SMITH H J *et al*
 BRITISH HEART FOUNDATION, Fifth European Symposium, June 1985, announcement, 714
 BRONSVELD W *see* VAN LAMBALGEN A A *et al*
 BULLOCK G R *see* BAKER J E *et al*
 BUONANNO C *see* SEITZ W *et al*
 BURATTINI R and BORGDOFF P Closed-loop baroreflex control of total peripheral resistance in the cat: identification of gains by aid of a model, 715

C

- CAMERON I R *see* WARD J P T and CAMERON I R
 CAMPBELL A B *see* DOLE W P *et al*
 CAMPBELL S *see* TIMMIS A D *et al*
 CARLSON C J *see* ABENDSCHEIN D R *et al*
 CASALONE C *see* LOMBARDI F *et al*
 CATAFFO A *see* CHIARIELLO M *et al*
 CHAN S L *see* MORLEY C A *et al*
 CHIARIELLO M, BREVETTI G, AMBROSIO G, CATAFFO A, POLLICE U, and CONDORELLI M Long-term protection of ischaemic myocardium by nitroglycerin ointment, 321
 CONDORELLI M *see* CHIARIELLO M *et al*
 CORDAY E *see* ARTS T *et al*
 COSIN J, GIMENO V, ALEGRE S, BRETO M, and PEREZ-GOMEZ F Reflex cardiovascular response to acute myocardial ischaemia, 555
 COURT Y D SYNDERCOMBE *see* GERSHLICK A H
 COWLEY A J, STAINER K, ROWLEY J M and HANLEY S P The effect of aspirin on peripheral haemodynamic changes following submaximal exercise in normal volunteers, 511
 COWLEY M J *see* EBERT T J *et al*
 CROSKERY R *see* UNVERFERTH D V *et al*
 CRUTCHER E C *see* QUINN P J and CRUTCHER E C
 CULLING W, PENNY W J, LEWIS M J, MIDDLETON K, and SHERIDAN D J Effects of myocardial catecholamine depletion on cellular electrophysiology and arrhythmias during ischaemia and reperfusion, 675
 — PENNY W J, and SHERIDAN D J Effects of sotalol on arrhythmias and electrophysiology during myocardial ischaemia and reperfusion, 397

D

- DAELE P VAN *see* VAN DAEL P
 DAVIES M J *see* WILMSHURST P T *et al*
 DAVIS A L *see* BENNETT E D *et al*
 DE JONGH E J M ROZA- *see* ROZA-DE JONGH E J M
 DE KERSAINT GILLY A *see* PAYEN D M *et al*
 DE LEVAL M R *see* WYSE R K H *et al*
 DE WATER A VAN *see* VAN DE WATER A

- DEHN T C B, MORLEY C A, and SUTTON R A scientific evaluation of the carotid sinus syndrome, 746
 — see also MORLEY C A *et al*
- DELLA BELLA P see LOMBARDI F *et al*
- DEN BOS G C VAN see VAN DEN BOS G C
- DER KAMP A W M VAN see VAN DER KAMP A W M
- DER LAARSE A VAN see VAN DER LAARSE A
- DHALLA N S see PANAGIA V *et al*
- DICKINSON J see HEATH D *et al*
- DIKMAN P R M VAN see VAN DIKMAN P R M
- DOLE W P, RICHARDS K L, HARTLEY C J, ALEXANDER G M, CAMPBELL A B, and BISHOP V S Diastolic coronary artery pressure-flow velocity relationships in conscious man, 548
- DONALDSON R see TAGGART P *et al*
- DONALDSON R M, TAGGART P, SWANTON H, FOX K, RICKARDS A F, and NOBLE D Effect of nitroglycerin on the electrical changes of early or subendocardial ischaemia evaluated by monophasic action potential recordings, 7
- DUKES I D and VAUGHAN WILLIAMS E M Resistance to hypoxia-induced shortening of action potential duration of hypertrophied rabbit hearts, 597
- DUNNIGAN A, NOREN G R, EINZIG S, BENDITT D G, STALEY N A, and WOODROW BENSON D Inducible ventricular arrhythmias in a naturally occurring model of cardiomyopathy, 645
- DYMEK D J and BACHE R J Effects of nifedipine and diltiazem on coronary reactive hyperaemia, 249
- E**
- EBERT T J, ECKBERG D L, VETROVEC G M, and COWLEY M J Impedance cardiograms reliably estimate beat-by-beat changes of left ventricular stroke volume in humans, 354
- ECKBERG D L see EBERT T J *et al*
- EDVARDSSON N, HIRSCH I, and OLSSON S B Acute effects of lignocaine, procainamide, metoprolol, digoxin and atropine on human myocardial refractoriness, 463
- EINZIG S see DUNNIGAN A *et al*
- STALEY N A *et al*
- EKROTH R see SVENSSON S *et al*
- EL-SHERIF N see GOUGH W B *et al*
- ELIASSEN P see AMTORP O *et al*
- EMILSON B see ABENDSCHEIN D R *et al*
- ERTEL P J see GILMOUR R F *et al*
- ESTRIN J A, WAHLER G M, BOOTH A M, SWAYZE C R, and FOX I J Use of intracoronary KCl in the beating and asystolic heart to determine the mechanism of initiation of the left ventricular mechanoreceptor reflex, 514
- F**
- FARRAR D J, BOND M G, SAWYER J K, and GREEN H D Pulse wave velocity and morphological changes associated with early atherosclerosis progression in the aortas of cynomolgus monkeys, 107
- FARSTAD M see STANGELAND L *et al*
- FERRERO J I see HENRY G W *et al*
- FERTEL R H see UNVERFERTH D V *et al*
- FINKELSTEIN J N see BRASCH S P *et al*
- FITCHETT D H Forearm arterial compliance: a new measure of arterial compliance? 651
- FITZGERALD D E and O'SHAUGHNESSY A M Blood volume flow and sonagram disturbance in diseased common carotid arteries: one year follow-up, 206
- Cardiac and peripheral arterial responses to isoprenaline challenge, 414
- FLAMENG W, XHONNEUX R, VAN BELLE H, BORGERS M, VAN DE WATER A, WOUTERS L, WUNANTS J, THONÉ F, VAN DAEL P, and JANSSEN P A J Cardioprotective effects of mifflazine during 1 h normothermic global ischaemia in the canine heart, 528
- FORFAR J C, RIEMERSMA R A, RUSSELL D C, and OLIVER M F Relationship of neuro-sympathetic responsiveness to early ventricular arrhythmias in ischaemic myocardium, 427
- FOX I J see ESTRIN J A *et al*
- FOX K see DONALDSON R M *et al*
- FRATIANNE R B see WALLICK D W *et al*
- FREEMAN S E, LEAKE B, SADEEDIN D R, and GRAY P J Effect of tetrodotoxin on the inward ionic current of the guinea pig atrium, 233
- FROHLICH E D see KOBRIN I *et al*
- FRY C H see WILMSHURST P T *et al*
- FUJII S see KIMURA S *et al*
- FUJISAWA A, SASAYAMA S, TAKAHASHI M, NAKAMURA M, OHYAGI A, LEE J-D, YUI Y, and KAWAI C Enhancement of left ventricular contractility after opening of an arteriovenous fistula in dogs, 51
- FUKUYAMA T, SOBEL B E, and ROBERTS R Microvascular deterioration: implications for reperfusion, 310
- G**
- GALLENKÄMPER W see SMITH E F *et al*
- GAUTHIER P see BILLETTE J *et al*
- GERMAIN M-A see WEBSTER W S *et al*
- GERSHLICK A H, SYNDERCOMBE-COURT Y D, MURDAY A J, LEWIS C T, and MILLS P G Activation of platelets by autogenous vein grafts is not prevented by acetylsalicylic acid and dipyridamole, 391
- Platelet function is altered by autogenous vein grafts in the early postoperative months, 119
- GEWIRTZ H, SALVO A, SUN Y, and MOST A S Influence of adenosine on basal myocardial function: observations in anaesthetised, domestic swine, 220
- WILLIAMS D O, and MOST A S Recovery of myocardial function following brief versus prolonged atrial pacing stress in the presence of coronary artery stenosis, 702
- GHOSH S see BRASCH S P *et al*
- GIBB L see UNVERFERTH D V *et al*
- GILLY A DE KERSAINT see DE KERSAINT GILLY A
- GILMOUR R F, MORRICAL D G, ERTEL P J, MAESAKA J F, and ZIPES D P Depressant effects of fast sodium channel blockade on the electrical activity of ischaemic canine ventricle: mediation by the sympathetic nervous system, 405
- GIMENO V see COSIN J *et al*
- GOLD F L, HORWITZ L D, and BACHE R J Adrenergic coronary vasoconstriction in acute right ventricular hypertension, 447
- GOLDMAN S, OLAJOS M, and MORKIN E Comparison of left atrial and left ventricular performance in conscious dogs, 604
- GOMEZ F PEREZ see PEREZ-GOMEZ F
- GOUGH W B, ZEILER R H, and EL-SHERIF N Effects of diltiazem on triggered activity in canine 1 day old infarction, 339
- GRAY P J see FREEMAN S E *et al*
- GREEN H D see FARRAR D J *et al*
- GREENFIELD J C see RADFORD M J *et al*
- SWAIN J L *et al*
- GRONG K see STANGELAND L *et al*
- GVOZDIÁK J see GVOZDIÁKOVÁ A *et al*
- GVOZDIÁKOVÁ A, BADA V, SÁNY L, KUCHARSKÁ J, KRUTÝ F, BOŽEK P, TRŠTANSKY L, and GVOZDIÁK J Smoke cardiomyopathy: disturbance of oxidative processes in myocardial mitochondria, 229
- H**
- HAGEMAN G R, URTHALER F, and JAMES T N Parasympathetic and sympathetic efferent traffic during a cardiogenic hypertensive chemoreflex, 583
- HALLIDAY S E see SMITH H J *et al*
- HAMLIN R see UNVERFERTH D V *et al*
- HAN J see YOON M S *et al*
- HANLEY S P see COWLEY A J *et al*

- HARTLEY C J *see* DOLE W P *et al*
 HAUNSO S *see* AMTORP O *et al*
 HAZAMA S *see* KIMURA S *et al*
 HEARSE D J Microbiopsy metabolite and paired flow analysis: a new rapid procedure for homogenisation, extraction and analysis of high energy phosphates and other intermediates without any errors from tissue loss: instruments and techniques, 384
 — *see also* BAKER J E *et al*
 HEATH D, WILLIAMS D, and DICKINSON J The pulmonary arteries of the yak, 133
 — *see also* SMITH P *et al*
 HENRY G W, JOHNSON T A, FERREIRO J I, HSIAO H S, LUCAS C L, KEAGY B A, LORES M E, and WILCOX B R Velocity profile in the main pulmonary artery in a canine model, 620
 — *see also* LUCAS C L *et al*
 HESS M L, OKABE E, ASH P, and KONTOS H A Free radical mediation of the effects of acidosis on calcium transport by cardiac sarcoplasmic reticulum in whole heart homogenates, 149
 HINES J J *see* SWAIN J L *et al*
 HIRSCH I *see* EDVARDSSON N *et al*
 HOERTER J A and LECARPENTIER Y Load sensitivity of relaxation in the fetal and newborn rabbit heart, 523
 HOLMES E W *see* SWAIN J L *et al*
 HORWITZ L D *see* GOLD F L *et al*
 HOSHINO T, MATSUMORI A, KAWAI C, and IMAI J Ventricular aneurysms and ventricular arrhythmias complicating Coxsackie virus B1 myocarditis of Syrian golden hamsters, 24
 HSIAO H S *see* HENRY G W *et al*
 LUCAS C L *et al*
 HUDLICKA O *see* ZIADA A M A R *et al*
 HUNSAKER R *see* UNVERFERTH D V *et al*

I

- IJICHI H *see* ADACHI H *et al*
 TAKAHASHI H *et al*
 IMAI J *see* HOSHINO T *et al*
 INOUE A *see* TAKAHASHI H *et al*
 INOUE H, MATSUO H, MASHIMA S, and MURAD S Effects of atrial pacing, isoprenaline and lignocaine on experimental polymorphous ventricular tachycardia, 538
 IYODA I *see* TAKAHASHI H *et al*

J

- JAGO R *see* SMITH P *et al*
 JAMES T N *see* HAGEMAN G R *et al*
 JANSSEN P A J *see* FLAMENG W *et al*
 JANSSEN E *see* SYLVÉN C *et al*
 JASMIN G *see* PANAGIA V *et al*
 JEWITT D E *see* TIMMIS A D *et al*
 JOHNSON T A *see* HENRY G W *et al*
 LUCAS C L *et al*
 JONES M *see* WYSE R K H *et al*
 JONGH E J M ROZA-DE *see* ROZA-DE JONGH E J M

K

- KAMP A W M VAN DER *see* VAN DER KAMP A W M
 KANNO M *see* KIMURA S *et al*
 KAUFMAN M P, WALDROP T G, RYBICKI K J, ORDWAY G A, and MITCHELL J H Effects of static and rhythmic twitch contractions on the discharge of group III and IV muscle afferents, 663
 KAWAI C *see* FUJISAWA A *et al*
 HOSHINO T *et al*
 KONISHI T *et al*
 KEAGY B A *see* HENRY G W *et al*
 LUCAS C L *et al*
 KEMMENOE B H *see* BAKER J E *et al*
 KENNER T *see* PFEIFFER K P *et al*

- KENNY J F *see* TIMMIS A D *et al*
 KERKEZ S A *see* TIMMIS A D *et al*
 KERSAINT GILLY A DE *see* DE KERSAINT GILLY A
 KIMURA S, HAZAMA S, FUJII S, NAKAYA H, and KANNO M Delayed afterdepolarisations and triggered activity in canine Purkinje fibres treated with neuraminidase, 294
 KLONER A *see* LANGE R *et al*
 KOBRIN I, SESOKO S, PEGRAM B L, and FROHLICH E D Reduced cardiac mass by nitrendipine is dissociated from systemic or regional haemodynamic changes in rats, 158
 KONISHI T, NAKAMURA Y, KONISHI T, and KAWAI C Accentuated negative inotropism of verapamil after ischaemic intervention in isolated working rat heart, 639
 KONTOS H A *see* HESS M L *et al*
 KOO C C, ALLEN J D, and PANTRIDGE J F Lack of effect of bretylium tosylate on electrical ventricular defibrillation in a controlled study, 762
 KRAUPP O *see* BACHER S *et al*
 KRUTY F *see* GVOZDIÁKOVÁ A *et al*
 KUCKARSKÁ J *see* GVOZDIÁKOVÁ A *et al*

L

- LAARSE A VAN DER *see* VAN DER LAARSE A
 LAMBALGEN A A VAN *see* VAN LAMBALGEN A A
 LAMPRON N *see* PAYEN D M *et al*
 LANGE R, NIEMINEN M S, and KLONER R A Failure of pindolol and metoprolol to reduce the size of non-reperused infarcts in dogs using area at risk techniques, 37
 LAVANCHY N, MARTIN J, and ROSSI A Graded global ischaemia and reperfusion of the isolated perfused rat heart: characterisation by ³¹P NMR spectroscopy of the extent of energy metabolism damage, 573
 LAZOU A *see* SUGDEN P H and LAZOU A
 LEAKE B *see* FREEMAN S E *et al*
 LECARPENTIER Y *see* HOERTER J A and LECARPENTIER Y
 LEE J-D *see* FUJISAWA A *et al*
 LEIER C V *see* UNVERFERTH D V *et al*
 LEKVEN J *see* STANGELAND L *et al*
 LEVAL M R DE *see* DE LEVAL M R
 LEVY M N *see* WALLICK D W *et al*
 LEWIS C T *see* GERSHLICK A H *et al*
 LEWIS M J *see* CULLING W *et al*
 LEWIS T *see* GERSHLICK A H *et al*
 LIPASTI J A, NEVALAINEN T J, ALANEN K A, and TOLVANEN M A Anaerobic glycolysis and the development of ischaemic contracture in isolated rat heart, 145
 LIPSON A *see* WEBSTER W S *et al*
 LOMBARDI F, CASALONE C, DELLA BELLA P, MALFATTO G, PAGANI M, and MALLIANI A Global versus regional myocardial ischaemia: differences in cardiovascular and sympathetic responses in cats, 14
 LORES M E *see* HENRY G W *et al*
 LUCAS C L, KEAGY B A, HSIAO H S, JOHNSON T A, HENRY G W, and WILCOX B R The velocity profile in the canine ascending aorta and its effects on the accuracy of pulsed Doppler determinations of mean blood velocity, 282
 — *see also* HENRY G W *et al*

M

- MCDANIEL W C *see* SCHUDER J C *et al*
 MCHALE P A *see* RADFORD M J *et al*
 MCILROY M *see* SEITZ W *et al*
 MAESAKA J F *see* GILMOUR R F *et al*
 MAKHANI G *see* BRASCH S P *et al*
 MALFATTO G *see* LOMBARDI F *et al*
 MALLIANI A *see* LOMBARDI F *et al*
 MANNERING D *see* BENNETT E D *et al*
 MANNESMANN G *see* SMITH E F *et al*

MANOHAR M and PARKS C Regional distribution of brain and myocardial perfusion in swine while awake and during 1.0 and 1.5 MAC isoflurane anaesthesia produced without or with 50% nitrous oxide, 344

MARINO P *see* SEITZ W *et al*

MARTIN J *see* LAVANCHY N *et al*

MASHIMA S *see* INOUE H *et al*

MATSUMORI A *see* HOSHINO T *et al*

MATSUO H *see* INOUE H *et al*

MEERBAUM S *see* ARTS T *et al*

MEHTA N *see* BENNETT E D *et al*

MIDDLETON K *see* CULLING W *et al*

MILLER M *see* UNVERFERTH D V *et al*

MILLS P G *see* GERSHLICK A H *et al*

MILOCCO I *see* SVENSSON S *et al*

MITCHELL J H *see* KAUFMAN M P *et al*

MIYAZAKI M *see* TODA N *et al*

MOCHTAR B, VAN DER KAMP A W M, ROZA-DE JONGH E J M, and NAUTA J Cell survival in canine aortic heart valves stored in nutrient medium, 497

MORELLI R L *see* ABENDSCHEIN D R *et al*

MORIKIN E *see* GOLDMAN S *et al*

MORLEY C A, DEHN T C B, PERRINS E J, CHAN S L, and SUTTON R Baroreflex sensitivity measured by the phenylephrine pressor test in patients with carotid sinus and sick sinus syndromes, 752

— *see also* DEHN T C B *et al*

MORRICAL D G *see* GILMOUR R F *et al*

MOST A S *see* GEWIRTZ H *et al*

MOUNSEY J P *see* WILSHURST P T *et al*

MURAD S *see* INOUE H *et al*

MURDAY A J *see* GERSHLICK A H *et al*

N

NAKAGAWA H *see* ADACHI H *et al*

NAKAGAWA M *see* ADACHI H *et al*

— *see also* TAKAHASHI H *et al*

NAKAJIMA M *see* TODA N *et al*

NAKAMURA M *see* FUJISAWA A *et al*

NAKAMURA Y *see* KONISHI T *et al*

NAKAYA H *see* KIMURA S *et al*

NASHAT F *see* TAGGART P *et al*

NAUTA J *see* MOCHTAR B *et al*

NEVALAINEN T J *see* LIPASTI J A *et al*

NICOLAS F M *see* PAYEN D M *et al*

NIEMINEN M S *see* LANGE R *et al*

NILSSON F *see* SVENSSON S *et al*

NISHIMURA K *see* TODA N *et al*

NOBLE D *see* DONALDSON R M *et al*

NOREN G R *see* DUNNIGAN A *et al*

— *see also* STALEY N A *et al*

O

OCHIAI M *see* ADACHI H *et al*

O'CONNELL D P *see* YOON M S *et al*

OEMRAWSINGH P *see* VAN DER LAARSE A *et al*

OEMRAWSINGH P V *see* VAN DER LAARSE A *et al*

OHYAGI A *see* FUJISAWA A *et al*

OKABE E *see* HESS M L *et al*

OKAJIMA H *see* TAKAHASHI H *et al*

OLAJOS M *see* GOLDMAN S *et al*

OLIVER M F *see* FORFAR J C *et al*

OLSSON G WILLIAM- *see* WILLIAM-OLSSON G

OLSSON S B *see* EDVARDSSON N *et al*

O'NEIL C L, BHARADWAJ B, and PRASAD K Effect of chronic digoxin treatment on cardiac function, electrolytes and ATPase in failing heart due to pressure overload, 502

ORDWAY G A *see* KAUFMAN M P *et al*

O'SHAUGHNESSY A M *see* FITZGERALD D E and O'SHAUGHNESSY A M

P

PAGANI M *see* LOMBARDI F *et al*

PANAGIA V, SINGH J N, ANAND-SRIVASTAVA M B, PIERCE G N, JASMIN G, and DHALLA N S Sarcolemmal alterations during the development of genetically determined cardiomyopathy, 567

PANTRIDGE J F *see* KOO C C *et al*

PARKS C *see* MANOHAR M and PARKS C

PAYEN D M, PINAUD M L J, LAMPRON N, DE KERSAINT GILLY A, and NICOLAS F M Common carotid haemodynamic and metabolic effects of acutely administered nifedipine in human subarachnoid haemorrhage, 626

PEGRAM B L *see* KOBRIN I *et al*

PENNEY D G, BARTHEL B G, and SKONEY J A Cardiac compliance and dimensions in carbon monoxide-induced cardiomegaly, 270

PENNY W J *see* CULLING W *et al*

PEPLOE M M WEBB- *see* WEBB-PEPLOE M M

PEREZ-GOMEZ F *see* COSIN J *et al*

PERRINS E J *see* MORLEY C A *et al*

PFEIFFER K P, KENNER T, and SCHAEFER J Application of statistical methods for the analysis of interval related cardiac performance variations during cardiac arrhythmia in man, 80

PIERCE G N *see* PANAGIA V *et al*

PINAUD M L J *see* PAYEN D M *et al*

POLICE U *see* CHIARELLO M *et al*

PRASAD K *see* O'NEIL C L *et al*

Q

QUINN P J and CRUTCHER E C The action of β -adrenoceptor antagonists on rat heart mitochondrial function *in vitro*: a comparison of propranolol, timolol, and atenolol, 212

R

RABERGER G *see* BACHER S *et al*

RADFORD M J, McHALE P A, SADICK N, SCHWARTZ G G, and GREENFIELD J C Effect of aminophylline on coronary reactive and functional hyperaemic response in conscious dogs, 377

RANDALL O S, VAN DEN BOS G C, and WESTERHOF N Systemic compliance: does it play a role in the genesis of essential hypertension? 455

RAPAPORT E *see* ABENDSCHEIN D R *et al*

RENEMAN R S *see* ARTS T *et al*

RICHARDS K L *see* DOLE W P *et al*

RICKARDS A F *see* DONALDSON R M *et al*

RIEMERSMA R A *see* FORFAR J C *et al*

ROBERTS R *see* FUKUYAMA T *et al*

ROSSI A *see* LAVANCHY N *et al*

ROWLEY J M *see* COWLEY A J *et al*

ROZA-DE JONGH E J M *see* MOCHTAR B *et al*

RUBLEIN T G *see* STALEY N A *et al*

RUSSELL D C *see* FORFAR J C *et al*

RYBICKI K J *see* KAUFMAN M P *et al*

S

SABINA R L *see* SWAIN J L *et al*

SADEDIN D R *see* FREEMAN S E *et al*

SADICK N *see* RADFORD M J *et al*

SALVO A *see* GEWIRTZ H *et al*

SÁNY L *see* GVOZDIAKOVÁ A *et al*

SASAKI S *see* TAKAHASHI H *et al*

SASAYAMA S *see* FUJISAWA A *et al*

SAWYER J K *see* FARRAR D J *et al*

SCHAEFER J *see* PFEIFFER K P *et al*

SCHÖRÖR K *see* SMITH E F *et al*

SCHUDER J C, McDANIEL W C, and STOECKLE H Defibrillation of 100 kg calves with asymmetrical, bidirectional, rectangular pulses, 419

SCHWARTZ G G *see* RADFORD M J *et al*

- SEITELBERGER R *see* BACHER S *et al*
 SEITZ W, MARINO P, ZANOLLA L, BUONANNO C, McILROY M, and SPIEL M Cardiac valve orifice equation independent of valvular flow intervals: application to mitral valve area computation in mitral stenosis and comparison with the Gorlin formula and direct anatomical measurements, 669
 SESOKO S *see* KOBRIN I *et al*
 SHERIDAN D J *see* CULLING W *et al*
 SHERIF N EL- *see* EL-SHERIF N
 SIMONOFF M Chromium deficiency and cardiovascular risk: review, 591
 SINGH J N *see* PANAGIA V *et al*
 SKONEY J A *see* PENNEY D G *et al*
 SMITH E F, GALLENKÄMPER W, BECKMANN R, THOMSEN T, MANNESMANN G, and SCHRÖR K Early and late administration of a PGI₂-analogue, ZK 36 374 (iloprost): effects on myocardial preservation, collateral blood flow and infarct size, 163
 SMITH H J, HALLIDAY S E, BRISCOE M G, and SNOW H M Facilitation of calcium blocking and membrane effects by intrinsic sympathomimetic activity, 30
 SMITH P, JAGO R, and HEATH D Glomic cells and blood vessels in the hyperplastic carotid bodies of spontaneously hypertensive rats, 471
 SMYTH P *see* TIMMIS A D *et al*
 SNOW H M *see* SMITH H J *et al*
 SOBEL B E *see* FUKUYAMA T *et al*
 SPENCE V A and WALKER W F Tissue oxygen tension in normal and ischaemic human skin, 140
 SPIEL M *see* SEITZ W *et al*
 SRIVASTAVA M B ANAND- *see* ANAND-SRIVASTAVA M B
 STAINER K *see* COWLEY A J *et al*
 STALEY N A, NOREN G R, EINZIG S, and RUBLEIN T G Effect of early propranolol treatment in an animal model of congestive cardiomyopathy: I. Mortality and Ca²⁺ transport in sarcoplasmic reticulum, 371. II. β -adrenergic receptors and left ventricular function, 561
 — *see also* DUNNIGAN A *et al*
 STANGELAND L, GRONG K, BAKKEN A M, FARSTAD M, and LEKVEN J Effects of timolol on adenosine nucleotide catabolism in cat hearts with acute regional ischaemia, 327
 STOECKLE H *see* SCHUDER J C *et al*
 SUGDEN P H and LAZOU A Activities of cathepsins B, D, H and L in rat heart atrial and ventricular muscle, 483
 SUGIHARA H *see* ADACHI H *et al*
 SUN Y *see* GEWIRTZ H *et al*
 SUTTON R *see* DEHN T C B *et al*
 MORLEY C A *et al*
 SVENSSON S, BERGLIN E, EKROTH R, MILOCCO I, NILSSON F, and WILLIAM-OLSON G Haemodynamic effects of a single large dose of insulin in open heart surgery, 697
 SWAIN J L, SABINA R L, HINES J J, GREENFIELD J C, and HOLMES E W Repetitive episodes of brief ischaemia (12 min) do not produce a cumulative depletion of high energy phosphate compounds, 264
 SWANTON H *see* DONALDSON R M *et al*
 SWAYZE C R *see* ESTRIN J A *et al*
 SYNDERCOMBE-COURT Y D *see* GERSHLICK A H *et al*
 SYLVÉN C, JANSSON E, and BÖÖK K Myoglobin content in human skeletal muscle and myocardium: relation to fibre size and oxidative capacity, 443
 T
 TAGGART P, DONALDSON R, ABED J, and NASHAT F Class III of β -blocking agents, 683
 — *see also* DONALDSON R M *et al*
 TAKAHASHI H, INOUE A, TAKEDA K, OKAJIMA H, SASAKI S, IYODA I, YOSHIMURA M, NAKAGAWA M, and IICHI H Centrally-induced vasopressor responses to carbachol are augmented in DOCA-salt hypertensive rats, 126

- TAKAHASHI M *see* FUJISAWA A *et al*
 TAKEDA K *see* TAKAHASHI H *et al*
 THUIS L G *see* VAN LAMBALGEN A A *et al*
 THOMAS J *see* UNVERFERTH D V *et al*
 THOMSEN T *see* SMITH E F *et al*
 THONÉ F *see* FLAMENG W *et al*
 TIMMIS A D, KENNY J F, SMYTH P, CAMPBELL S, KERKEZ S A, and JEWITT D E Restoration of normal reflex responses to orthostatic stress during felodipine therapy in congestive heart failure, 613
 TODA N, NAKAJIMA M, NISHIMURA K, and MIYAZAKI M Responses of isolated dog arteries to aminone, 174
 TOLVANEN M A *see* LIPASTI J A *et al*
 TRESLONG C H F BLOYS *see* VAN BLOYS VAN TRESLONG C H F
 TRŠTANSKY L *see* GVOZDIÁKOVÁ A *et al*
 TWORT C H C *see* WILMSHURST P T *et al*
 TYLER K R *see* ZIADA A M A R *et al*

U

- UNVERFERTH D V, FERTEL R H, THOMAS J, LEIER C V, CROSKERY R, HUNSAKER R, MILLER M, GIBB L, and HAMLIN R The evolution of β -adrenergic dysfunction during the induction of canine cobalt cardiomyopathy, 44
 URTHALER F *see* HAGEMAN G R *et al*

V

- VALENCIC F *see* WALLICK D W *et al*
 VAN BELLE H *see* FLAMENG W *et al*
 VAN DAELE P *see* FLAMENG W *et al*
 VAN DE WATER A *see* FLAMENG W *et al*
 VAN DEN BOS G C *see* RANDALL O S *et al*
 VAN LAMBALGEN A A *et al*
 VAN DER KAMP A W M *see* MOCHTAR B *et al*
 VAN DER LAARSE A, ALTONA J C, ZOET A C M, DEMRAWINSINGH P, and VAN DIJKMAN P R M A comparative study on ischaemia- or anoxia-induced impairment of myocytic structure and cardiac function in the isolated, isovolumically-contracting, perfused rat heart, 768
 — VAN DIJKMAN P R M, ALTONA J C, ZOET A C M, and DEMRAWINSINGH P V Coronary flow rate dependent enzyme release rate from normoxic and anoxic rat hearts *in vitro*, 438
 — *see also* ALTONA J C *et al*
 VAN DIJKMAN P R M *see* VAN DER LAARSE A *et al*
 VAN LAMBALGEN A A, BRONSVELD W, VAN DEN BOS G C, and THUIS L G Distribution of cardiac output, oxygen consumption and lactate production in canine endotoxin shock, 195
 VAN TRESLONG C H F BLOYS *see* VAN BLOYS VAN TRESLONG C H F
 VAUGHAN WILLIAMS E M *see* DUKES I D and VAUGHAN WILLIAMS E M
 VETROVEC G M *see* EBERT T J *et al*

W

- WAHLER G M *see* ESTRIN J A *et al*
 WALDROP T G *see* KAUFMAN M P *et al*
 WALKER J M *see* WILMSHURST P T *et al*
 WALKER W F *see* SPENCE V A and WALKER W F
 WALLICK D W, VALENCIC F, FRATIANNI R B, and LEVY M N Effects of ouabain and vagal stimulation on heart rate in the dog, 75
 WALSH D *see* WEBSTER W S *et al*
 WARD J P T and CAMERON J R Adaptation of the cardiac muscle sodium pump to chronic potassium deficiency, 257
 WATER A VAN DE *see* VAN DE WATER A
 WATSON J I *see* WU D-K *et al*
 WEBB-PEPLOE M M *see* WILMSHURST P T *et al*
 WEBSTER W S, GERMAIN M-A, LIPSON A, and WALSH D Alcohol and congenital heart defects: an experimental study in mice, 335
 WELHAM K C *see* WYSE R K H *et al*
 WESTERHOF N *see* RANDALL O S *et al*

- WUNANTS J *see* FLAMENG W *et al*
 WILCOX B R *see* HENRY G W *et al*
 LUCAS C L *et al*
 WILLIAM-OLSSON G *see* SVENSSON S *et al*
 WILLIAMS B T *see* WILMSHURST P T *et al*
 WILLIAMS D *see* HEATH D *et al*
 WILLIAMS D O *see* GEWIRTZ H *et al*
 WILLIAMS E M VAUGHAN *see* VAUGHAN WILLIAMS E M
 WILMSHURST P T, WALKER J M, FRY C H, MOUNSEY J P, TWORT C
 H C, WILLIAMS B T, DAVIES M J, and WEBB-PEPLOE M
 M Inotropic and vasodilator effects of amrinone on isolated
 human tissue, 302
 WOODROW BENSON D *see* DUNNIGAN A *et al*
 WOUTERS L *see* FLAMENG W *et al*
 WRIGHT A J A *see* ZIADA A M A R *et al*
 WU D-K, BISSETT J K, WATSON J I, and BAKER J Effect of
 exercise on repolarisation abnormalities in patients with asymp-
 tomatic QT prolongation, 60
 WYSE R K H, JONES M, WELHAM K C, and DE LEVAL M
 C Cardiac performance and myocardial blood flow in pigs
 with compensated right ventricular hypertrophy, 733
- X
- XHONNEUX R *see* FLAMENG W *et al*
- Y
- YOON M S, O'CONNELL D P, and HAN J Postextrasystolic T wave
 changes in normal canine hearts, 711
 YOSHIMURA M *see* TAKAHASHI H *et al*
 YUI Y *see* FUJISAWA A *et al*
- Z
- ZANOLLA L *see* SEITZ W *et al*
 ZEILER R H *see* GOUGH W B *et al*
 ZIADA A M A R, HUDLICKA O, TYLER K R, and WRIGHT A J
 A The effect of long-term vasodilatation on capillary growth
 and performance in rabbit heart and skeletal muscle, 724
 ZIPES D P *see* GILMOUR R F *et al*
 ZOET A C M *see* VAN DER LAARSE A *et al*

SUBJECT INDEX

1984, Volume 18

- Acetylsalicylic acid and dipyridamole, not preventing activation of platelets by autogenous vein grafts, 391
- Action potential duration, hypoxia-induced shortening, resistance of hypertrophied rabbit hearts, 597
- Adenine nucleotide catabolism in cat hearts with acute regional ischaemia, effect of timolol, 327
- Adenosine, influence on myocardial function, observations in anaesthetised, domestic swine, 220
- long-term effect on capillary density, rabbits, 724
- triphosphate, myocardial content during repetitive myocardial ischaemia, 264
- Adrenergic coronary vasoconstriction, in acute right ventricular hypertension, 447
- Afterpotentials in neurexin-treated Purkinje fibres, 294
- Albumin, arterial fluxes, *in vivo*, rabbit, 244
- Alcohol and congenital heart defects, experimental study, mice, 335
- Aminophylline, effect on coronary reactive and functional hyperaemic response in conscious dogs, 377
- Amrinone, inotropic and vasodilator effects on isolated human tissue, 302
- responses of isolated dog arteries, 174
- Anoxia, effects on enzyme release, rats, 99
- and ischaemia compared in myocytic structure and cardiac function, 768
- Aortic heart valves, canine, stored in nutrient medium, cell survival, 497
- Arrhythmia, cardiac, statistical methods in analysis, man, 80
- and electrophysiology during myocardial ischaemia and reperfusion, effects of sotalol, 397
- Arterial compliance, forearm arterial compliance, new measure, 651
- response, cardiac and peripheral, to isoprenaline challenge, 414
- Arteriovenous fistula, opening, enhancement of left ventricular contractility after, dog, 51
- Ascending aorta, canine, velocity profile, 282
- Aspirin, effect on peripheral haemodynamic changes following submaximal exercise, 511
- Atenolol, propranolol, and timolol, comparison in action on heart mitochondrial function, 212
- — verapamil and ICI 118,587, intrinsic sympathomimetic activity, 30
- Atherosclerosis, aortic, pulse wave velocity and morphology, monkeys, 107
- Atrium (atrial), left, and left ventricular performance, comparison, conscious dogs, 604
- pacing, isoprenaline and lignocaine, effect on experimental polymorphous ventricular tachycardia, dog, 538
- stress, recovery of myocardial function in coronary artery stenosis, 702
- effect of tetrodotoxin on inward ionic current, guinea pig, 233
- Atropine, acute effects on myocardial refractoriness, human, 463
- Authors' instructions, 1
- Autogenous vein grafts, effect on platelet function, early postoperative months, 119

B

- Baroreflex control of resistance, identification of gains by aid of model, cat, 715
- Beta-adrenergic receptors, antagonists, comparison in action on heart mitochondrial function, 212
- — blocking agents in experimental myocardial infarction, dogs, 37
- — class III action, 683
- — function during heart failure, dogs, 44

- — and left ventricular function, effect of early propranolol treatment in animal model of congestive cardiomyopathy, 561
- — effect on myocardial blood flow, 327
- Blood flow and performance in right ventricular hypertrophy, 733
- pressure response and renin release following dihydralazine and urapidil treatment, conscious dogs, 67
- volume flow and sonagram disturbance, diseased common carotid arteries, one year follow-up, 206

BOOK REVIEWS:

- DAVIES M J, ANDERSON R H and BECKER A E The conduction system of the heart, 194
- ENNIS J T and DOWSETT D J Vascular radionuclide imaging — a clinical atlas, 326
- FLECKENSTEIN A, HASHIMOTO K, HERRMANN M, SCHWARTZ and SEIPEL L *editors* New calcium antagonists. Recent developments and prospects, 326
- MASSONI A and ALBONI P *editors* Cardiac electrophysiology today, 194
- MERRILL G F and WEISS H R Ca⁺ entry blockers, adenosine and neurohumours, 326
- PARRATT J R Early arrhythmias resulting from myocardial ischaemia. Mechanisms and prevention by drugs, 66
- RAHIMTOLA S H *editor* Controversies in coronary artery disease, 194
- ROELANDT J and HUGENHOLTZ P G *editors* Long-term ambulatory electrocardiography, 326
- ROSENBAUM M B and ELIZARI M *Veditors* Frontiers of cardiac electrophysiology, 194
- SILVER M D *editor* Cardiovascular pathology (2 vols), 66
- STEFAN H and BURR W *editors* Mobile long-term EEG monitoring, 66
- Bretylium tosylate, lack of effect on electrical ventricular defibrillation, controlled study, dogs, 762

C

- Calcium antagonists *see also* Nifedipine, Verapamil
- blocking and membrane effects, facilitation by intrinsic sympathomimetic activity, 30
- delivery and time, factors affecting progression of cellular damage during calcium paradox, rat heart, 361
- Calcium transport by cardiac sarcoplasmic reticulum, free radical mediation of effect of acidosis on, 149
- transport in sarcoplasmic reticulum, 371
- Capillary diffusion capacity and myocardial blood flow, distribution across canine heart wall, 277
- growth, and long-term vasodilatation, rabbit heart and skeletal muscle, 724
- Carbachol, centrally-induced vasopressor responses to, DOCA-salt hypertension, rats, 126
- Carbon monoxide-induced cardiomegaly, cardiac compliance and dimensions, 270
- Cardiac compliance and dimensions in carbon monoxide-induced cardiomegaly, 270
- glycosides and heart rate, dog, 75
- mass, reduction by nitrendipine, haemodynamics, 158
- muscle sodium pump, adaptation to chronic potassium deficiency, 257
- output distribution, oxygen consumption and lactate production in canine endotoxin shock, 195
- performance, statistical methods in analysis, man, 80
- valve orifice formula independent of valvular flow intervals, 669
- Cardiogenic hypertensive chemoreflex, parasympathetic and sympathetic efferent traffic, 583

- Cardiomegaly, carbon monoxide-induced, cardiac compliance and dimensions, 270
- Cardiomyopathy, congestive, effect of early propranolol treatment, animal model, I Mortality and Ca^{2+} transport in sarcoplasmic reticulum, 371
- effect of early propranolol treatment, β -adrenergic receptors and left ventricular function, 561
- genetically determined, sarcolemmal alterations during development, 567
- naturally occurring model, inducible ventricular arrhythmias, 645
- smoke, disturbance of oxidative processes in myocardial mitochondria, 229
- see also Heart failure
- Cardiovascular risk, chromium deficiency: review, 591
- Carotid body hypoplasia, glomeric cells and blood vessels, spontaneously hypertensive rats, 471
- sinus syndrome, baroreflex sensitivity measured by phenylephrine pressor test, 752
- — scientific evaluation, 746
- Catecholamines, during cobalt cardiomyopathy, dogs, 44
- depletion, myocardial, effects on cellular electrophysiology and arrhythmias, 675
- Cathepsin B, D, H and L, activities in rat heart atrial and ventricular muscle, 483
- Cell survival, in canine aortic heart valves stored in nutrient medium, 497
- Centrally-induced vasopressor responses to carbachol, DOCA-salt hypertension, rats, 126
- Chromium deficiency, and cardiovascular risk: review, 591
- Citrate synthesis activity, myoglobin and fibre diameter, human muscle, 443
- Common carotid arteries, diseased, blood volume flow and sonogram disturbance, one year follow-up, 206
- haemodynamic and metabolic effects of acutely administered nifedipine, in human subarachnoid haemorrhage, 626
- Compliance, cardiac, and dimensions in carbon monoxide-induced cardiomegaly, 270
- systemic, role in genesis of essential hypertension, 455
- Congenital heart defects and alcohol, experimental study, mice, 335
- Congestive cardiomyopathy see Cardiomyopathy: Heart failure
- Contraction, muscular, static and rhythmic, effects on afferent discharges, 663
- Contracture, ischaemic, development, anaerobic glycolysis, isolated rat heart, 145
- Coronary artery occlusion, creatine kinase MM isoenzyme subforms in myocardium, cardiac lymph and blood after, dogs, 690
- pressure-flow velocity relationships, diastolic, conscious man, 548
- stenosis, and atrial pacing stress, recovery of myocardial function, 702
- flow rate dependent enzyme release rate, from normoxic and anoxic rat hearts *in vitro*, 438
- coronary reactive hyperaemia, effects of nifedipine and diltiazem, 249
- Corwin, see ICI 118,587
- Coxsackie virus B1 myocarditis, ventricular aneurysms, arrhythmias complicating, hamsters, 24
- Creatine kinase, MM isoenzyme subforms in myocardium, cardiac lymph and blood after coronary artery occlusion, dogs, 690.
- D**
- Defibrillation of 100 kg calves with asymmetrical, bidirectional, rectangular pulses, 419
- ventricular, electrical, lack of effect of bretylium tosylate, controlled study, dogs, 762
- Digoxin, acute effects on myocardial refractoriness, human, 463
- treatment, chronic, effect on cardiac function, electrolytes and ATPase in failing heart due to pressure overload, 502
- Dihydralazine and urapidil, blood pressure response and renin release following, conscious dogs, 67
- Diltiazem and nifedipine, effects on coronary reactive hyperaemia, 249
- effect on triggered activity in canine 1 day old infarction, 339
- Dipyridamole and acetylsalicylic acid, not preventing activation of platelets by autogenous vein grafts, 391
- DOCA-salt hypertension, central cholinergic mechanisms in, rats, 126
- Doppler assessment, left ventricular function, 632
- E**
- Electrophysiology and arrhythmias during myocardial ischaemia and reperfusion, effects of sotalol, 397
- Endotoxin shock, canine, cardiac output distribution, oxygen consumption and lactate production, 195
- Enzyme release from anoxic heart cell cultures, rats, 99
- Essential hypertension, genesis, and systemic compliance, 455
- Exercise, peripheral haemodynamic effects, and aspirin, 511
- effect on repolarisation abnormalities in asymptomatic QT prolongation, 60
- F**
- Felodipine therapy, in congestive heart failure, restoration of normal reflex responses to orthostatic stress, 613
- Flow dependent enzyme release, from normoxic and anoxic rat hearts *in vitro*, 438
- Forearm arterial compliance, new measure of arterial compliance, 651
- Free radical mediation of effect of acidosis on calcium transport by cardiac sarcoplasmic reticulum, 149
- G**
- Glycolysis, anaerobic, development of ischaemic contracture, isolated rat heart, 145
- H**
- Heart current, effect of tetrodotoxin, guinea pig, 233
- failure, beta-adrenergic function, dogs, 44
- failure, congestive, felodipine therapy, restoration of normal reflex responses to orthostatic stress, 613
- rate, effects of ouabain and vagal stimulation, dog, 75
- wall, canine, distribution of myocardial blood flow and capillary diffusion capacity, 277
- Hyperaemic response, coronary reactive and functional, effect of aminophylline, conscious dogs, 377
- Hypertension, DOCA-salt, central cholinergic mechanisms in, rats, 126
- essential, genesis, and systemic compliance, 455
- right ventricular, acute and adrenergic coronary vasoconstriction, 447
- Hypertrophied rabbit hearts, resistance to hypoxia-induced shortening of action potential duration, 597
- Hypoxia-induced shortening of action potential duration, resistance of hypertrophied rabbit hearts, 597.
- I**
- ICI 118,587, verapamil, atenolol and propranolol, intrinsic sympathomimetic activity, 30
- Iloprost see Prostacyclin analogue
- Impedance cardiograms, reliable estimation of beat-by-beat changes of left ventricular stroke volume, human, 354
- Instructions, authors, 1

INSTRUMENTS AND TECHNIQUES: Microbiopsy metabolite and paired flow analysis, 384

Insulin, single large dose, in open heart surgery, haemodynamic effects, 697

Intrinsic sympathomimetic activity, calcium blocking and membrane effects, 30

Ischaemia, acute regional, effects of timolol on adenine nucleotide catabolism, cat hearts, 327

— and anoxia compared in myocytic structure and cardiac function, 768

— sympathetic activity, early ventricular arrhythmias, 427

— see also Myocardial ischaemia

Ischaemic sinus node and vagal responses, dog, 486

Isoflurane, cerebral and myocardial perfusion, 344

Isoprenaline challenge, cardiac and peripheral arterial responses, 414

— effects on experimental polymorphous ventricular tachycardia, dog, 538

K

KCl, intracoronary, in left ventricular mechanoreceptor reflex, 514

L

Lactate production, cardiac output distribution and oxygen consumption in canine endotoxin shock, 195

Left ventricle see Ventricle, left

Lignocaine, acute effects on myocardial refractoriness, human, 463

— effect on experimental polymorphous ventricular tachycardia, dog, 538

M

Metoprolol, acute effects on myocardial refractoriness, human, 463

— and pindolol in experimental myocardial infarction, dogs, 37

Microbiopsy metabolite and paired flow analysis: instruments and techniques, 384

Microvascular deterioration, implications for reperfusion, 310

Mioflazine, cardioprotective effects, during 1 h normothermic global myocardial ischaemia, dog, 528

Monophasic action potential recordings, ischaemic, effect of nitroglycerin, 7

Muscle fibre diameter and myoglobin content, human, 443

Myocardial ATP, glycolysis and ischaemic contracture, 145

— blood flow, effect of β -adrenoreceptors, 327

— and capillary diffusion capacity, distribution across canine heart wall, 277

— catecholamine depletion, effects on cellular electrophysiology and arrhythmias, 675

— cell damage, characterisation, 768

— function, influence of adenosine, observations in anaesthetised, domestic swine, 220

— infarction, experimental, beta-blockers in, dogs, 37

— 1 day old, effect of diltiazem on triggered activity, 339

— ischaemia, acute, reflex cardiovascular response, 555

— damage by ^{31}P NMR, characterisation, 573

— effect of early and late administration of PGI_2 -analogue, ZK 36 374 (iloprost), 163

— global versus regional, sympathetic reflexes, cats, 14

— long-term protection by nitroglycerin ointment, 321

— 1 h normothermic global, cardioprotective effects of mioflazine, dog, 528

— and reperfusion, effects of sotalol on arrhythmias and electrophysiology during, 397

— repetitive, myocardial content of adenosine triphosphate during, 264

— mitochondria, disturbance of oxidative processes, smoke cardiomyopathy, 229

— refractoriness, human, acute effects of lignocaine, procainamide, metoprolol, digoxin and atropine, 463

Myoglobin content, human skeletal muscle and myocardium, relation to fibre size and oxidative capacity, 443

N

Negative inotropic effect of verapamil, rat heart, 639

Neurosympathetic responsiveness, relationship to early ventricular arrhythmias in ischaemic myocardium, 427

Nifedipine, acutely administered, in human subarachnoid haemorrhage, common carotid haemodynamic and metabolic effects, 626

— and diltiazem, effects on coronary reactive hyperaemia, 249

Nitrendipine in reduction of cardiac mass, haemodynamics, 158

Nitroglycerin, effect on ischaemic monophasic action potential recordings, 7

— ointment, long-term protection of ischaemic myocardium, 321

Nuclear magnetic resonance, ^{31}P , in myocardial ischaemia damage, characterisation, 573

Nutrient medium, canine aortic heart valves stored in, cell survival, 497

O

Open heart surgery, haemodynamic effects of single large dose of insulin, 697

Ouabain and vagal stimulation, effect on heart rate, dog, 75

Oxygen consumption, cardiac output distribution and lactate production in canine endotoxin shock, 195

— tension measurements in skin, 140

P

Pindolol and metoprolol in experimental myocardial infarction, dogs, 37

Platelets, activation by autogenous vein grafts is not prevented by acetylsalicylic acid and dipyridamole, 391

— function, autogenous vein grafts altering, early postoperative months, 119

Postextrasystolic T wave changes in normal canine hearts, 711

Potassium deficiency, chronic, adaptation of cardiac muscle sodium pump, 257

Premature ventricular beats in normal canine hearts, 711

Pressure overload, failing heart, effect of chronic digoxin treatment on cardiac function, electrolytes and ATPase, 502

Procainamide, acute effects on myocardial refractoriness, human, 463

Propranolol, atenolol, verapamil and ICI 118,587, intrinsic sympathomimetic activity, 30

— timolol, and atenolol, comparison in action on heart mitochondrial function, 212

— treatment, early, effect in an animal model of congestive cardiomyopathy: I. Mortality and Ca^{2+} transport in sarcoplasmic reticulum, 371; II. β -adrenergic receptors and left ventricular function, 561

Prostacyclin analogue ZK 36 374 (iloprost), early and late administration, effect on myocardial ischaemia, 163

Prostaglandin E_1 , effect on human organ blood flow, 657

Pulmonary artery, main, velocity profile, dogs, 620

— yak, 133

Pulse wave velocity and morphological changes, aortic atherosclerosis, monkeys, 107

Pulses, asymmetrical, bidirectional, and rectangular, and defibrillation of 100 kg calves, 419

Q

QT prolongation, asymptomatic, effect of exercise on repolarisation abnormalities, 60

R

- Reflex cardiovascular response to acute myocardial ischaemia, 555
- parasympathetic and sympathetic nervous system traffic, 583
- Relaxation, load sensitivity, fetal and newborn rabbit heart, 523
- Reoxygenation, effects on enzyme release, rats, 99
- Reperfusion, implications, microvascular deterioration, 310
- and myocardial ischaemia, effects of sotalol on arrhythmias and electrophysiology during, 397
- Repolarisation abnormalities in asymptomatic QT prolongation, exercise effect, 60

S

- Sarcolemmal alterations during development of genetically determined cardiomyopathy, 567
- Sarcoplasmic reticulum, calcium transport, 371
- free radical mediation of effect of acidosis on calcium transport, 149
- Serotonin chemoreflex, parasympathetic and sympathetic efferent traffic, 583
- Shock, endotoxin, canine, cardiac output distribution, oxygen consumption and lactate production, 195
- Sick sinus syndrome, baroreflex sensitivity measured by the phenylephrine pressor test, 752
- Sino-atrial ischaemia and vagal responses, dog, 486
- Skin, oxygen tension measurements, 140
- Smoke cardiomyopathy, disturbance of oxidative processes in myocardial mitochondria, 229
- Sodium channel blockade, fast, depressant effects on electrical activity of ischaemic canine ventricle, 405
- Sonagram disturbance and blood volume flow, diseased common carotid arteries, one year follow-up, 206
- Sotalol, effects on arrhythmias and electrophysiology during myocardial ischaemia and reperfusion, 397
- Spontaneously hypertensive rats, glomic cells and blood vessels in hyperplastic carotid bodies, 471
- Stroke volume, left ventricular, reliable estimation by impedance cardiograms, 354
- Subarachnoid haemorrhage, common carotid haemodynamic and metabolic effect of acutely administered nifedipine, 626

T

- Tachycardia, ventricular, experimental polymorphous, effects of atrial pacing, isoprenaline and lignocaine, dog, 538
- Tetrodotoxin and cardiac electrical activity, 405
- effect on inward ionic current of guinea pig atrium, 233
- Thallium-201 scintigraphy to assess effect of PGE₁ on human blood flow, 657
- Thin-fibre afferents and muscular contraction, 663
- Timolol, effects on adenine nucleotide catabolism in cat hearts with acute regional ischaemia, 327
- propranolol, and atenolol, comparison in action on heart mitochondrial function, 212

U

- Urapidil and dihydralazine, blood pressure response and renin release following, conscious dogs, 67

V

- Vagal responses and ischaemic sinus node, dog, 486
- stimulation and ouabain, effect on heart rate, dog, 75
- Vasodilatation, long-term, effect on capillary growth, rabbit heart and skeletal muscle, 724
- Vein grafts, autogenous, effect on platelet function, early postoperative months, 119
- Velocity profile, ascending aorta, canine, 282
- main pulmonary artery, dogs, 620
- Ventricle (ventricular) arrhythmias, early, ischaemia, sympathetic activity, 427
- inducible in naturally occurring model of cardiomyopathy, 645
- hypertrophy, right, compensated, cardiac performance and myocardial blood flow, pig, 733
- left, contractility, enhancement, after opening of arteriovenous fistula, dogs, 51
- function, and β -adrenergic receptors, effect of early propranolol treatment in animal model of congestive cardiomyopathy, 561
- — — Doppler assessment, 632
- — — and left atrial performance, comparison, conscious dogs, 604
- — — mechanoreceptor reflex mechanism, 514
- stroke volume, reliable estimation by impedance cardiograms, 354
- refractoriness, effects of beta-blocking agents, 683
- torsion during ejection phase in intact dog, 183
- tachycardia, polymorphous, experimental, effects of atrial pacing, isoprenaline and lignocaine, dog, 538
- Verapamil, ICI 118,587, atenolol and propranolol, intrinsic sympathomimetic activity, 30
- negative inotropic effect, rat heart, 639
- Veratrum alkaloids and left ventricular mechanoreceptor reflex mechanism, 514

X

- Xanthine derivative, long-term effect on capillary density, rabbits, 724

Y

- Yak, pulmonary arteries, 133

Z

- ZK 36 374 (iloprost) *see* Prostacyclin analogue

